



CROSS REFERENCE LIST SHEEN-TQC

Column name:	Explanation:
SHEEN_PART_NO	Original Sheen article number
CATALOG_DESC	Product description
TQC Equivalent	TQC equivalent product / article number. The product may be a TQC product with same specifications.
TQC indirect	TQC article number of replacement / slightly different product.
Requirements:	States the required extra actions or articles that need to be ordered with the product. Example: The Sheen Rotothinner was supplied with spindle. The TQC Sheen Rotothinner is supplied without spindle. The required additional spindle is listed in this column.
COC	Document of Conformity
CCI	Calibration Certificate Included (for TQC products)
BCI	Batch Certificate Included (for TQC products) This is a new system and will be implemented in first half of 2018
Optional	Calibration is optionally available. Charges will apply.
<i>Flow time may differ* - Zahn cups have per ASTM standard an acceptable difference of +/- 20% in flow time between manufacturers. Flow times as obtained with a TQC Sheen Zahn cup can give different results than cups from Sheen or other manufacturers.</i>	

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH1003	PAYNE PERMEABILITY CUP - ONE CUP	VF2200			x			
SH1003/3	PAYNE PERMEABILITY CUP - SET OF THREE	OBSOLETE						
SH1003A	PAYNE PERMEABILITY CUP - ONE CUP - ASTM SPECIFICATION	VF2201			x			
SH1003A/3	PAYNE PERMEABILITY CUP - SET OF THREE - ASTM SPECIFICATION	OBSOLETE						
SH101N	MINIGLOSS - 60 DEGREE	GL0010				x		
SH1100/100/250	BIRD TYPE APPLICATOR - (100MM WIDTH) GAP SIZE 250uM		VF1535	specify gaps		x		
SH1100/50	BIRD TYPE APPLICATOR - (50MM WIDTH) TO 200M GAP SIZE	VF1546				x		
SH1100/50/A	BIRD TYPE APPLICATOR - (50MM WIDTH) SPECIAL GAP SIZE	VF1540				x		
SH1100/75/150	Bird Type Applicator, 75mm film width/150 um gap		VF1570	specify gaps		x		
SH1100/75-100	BIRD TYPE APPLICATOR 75 FW, 100uM GAP	VF1573				x		
SH1100/75-150	BIRD TYPE APPLICATOR 75 FW, 150uM GAP		VF1570	specify gaps		x		
SH1100/75-200	BIRD TYPE APPLICATOR 75 FW, 200uM GAP		VF1570	specify gaps		x		
SH1100/75-50	BIRD TYPE APPLICATOR 75 FW, 100uM GAP 50 MICRONS	VF1571				x		
SH1100/75-75	BIRD TYPE APPLICATOR 75 FW, 75uM GAP	VF1572				x		
SH1100A	BIRD TYPE APPLICATOR - 50MM WIDTH, GAP SIZE 201-2000MFROM:		VF1540	specify gaps		x		
SH1100A/75	BIRD TYPE APPLICATOR - (75MM WIDTH) GAP SIZE 201-2000uM		VF1570	specify gaps		x		
SH1101/90/100	BAR APPLICATOR 90MM FILM WIDTH 100M GAP SIZE	VF1589				x		
SH1101/90/150	BAR APPLICATOR 90MM FILM WIDTH 150M GAP SIZE	VF1591				x		
SH1101/90/200	BAR APPLICATOR 90MM FILM WIDTH 200M GAP SIZE	VF1592				x		
SH1101/90/25	BAR APPLICATOR 90MM FILM WIDTH 25M GAP SIZE		VF1595	specify gaps		x		
SH1101/90/250	BAR APPLICATOR 90MM FILM WIDTH 250M GAP SIZE	VF1593				x		
SH1101/90/50	BAR APPLICATOR 90MM FILM WIDTH 50M GAP SIZE	VF1587				x		
SH1101/90/75	BAR APPLICATOR 90MM FILM WIDTH 75M GAP SIZE	VF1588				x		
SH1101A/90	BAR APPLICATOR - (90MM FILM WIDTH) GAP SIZE 400uM		VF1595	specify gaps		x		

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH1102	ADFUSTABLE FILM APPLICATOR INCLUDING SHIMS	OBSOLETE						
SH1103	25MM CUBE FILM APPLICATOR 37/75M	AB3703		specify gaps		x		
SH1104/1	50MM CUBE FILM APPLICATOR 50/100M	AB3710				x		
SH1104/2	50MM CUBE FILM APPLICATOR 150-200M	AB3711				x		
SH1107/60/1	FOUR SIDED APPLICATOR 60MM WIDTH 30/60/90/120M GAP SIZES	VF2146				x		
SH1107/60/2	FOUR SIDED APPLICATOR 60MM WIDTH 50/100/150/200M GAP SIZES	VF2147				x		
SH1107/60/A	FOUR SIDED APPLICATOR 60MM WIDTH, MAX. 300M GAP SIZE FROM:	VF1510				x		
SH1107/80/1	FOUR SIDED APPLICATOR 80MM WIDTH 30/60/90/120M GAP SIZES	VF1501				x		
SH1107/80/2	FOUR SIDED APPLICATOR 80MM WIDTH 50/100/150/200M GAP SIZES	VF1502				x		
SH1107/80/A	FOUR SIDED APPLICATOR 80MM WIDTH, MAX. 300M GAP SIZE	VF1515				x		
SH1108/275	SAG INDEX APPLICATOR SIZE 50-275M	VF2250				x		
SH1108/475	SAG INDEX APPLICATOR SIZE 250-475M	VF2251				x		
SH1108/675	SAG INDEX APPLICATOR SIZE 450-675M	VF2252				x		
SH1109/100	WET FILM THICKNESS GAUGE (WHEEL TYPE) 0 - 100m	VF2255				x		
SH1109/1000	WET FILM THICKNESS GAUGE (WHEEL TYPE) 0 - 1000M	VF2258				x		
SH1109/200	WET FILM THICKNESS GAUGE (WHEEL TYPE) 0 - 200M		VF2256	WARNING: 0-300µm		x		
SH1109/500	WET FILM THICKNESS GAUGE (WHEEL TYPE) 0 - 500M		VF2257	WARNING: 0-600µm		x		
SH1109A	WET FILM THICKNESS GAUGE (WHEEL TYPE) SPECIAL SIZES, FROM:	OBSOLETE						
SH1109B	WET FILM THICKNESS GAUGE FOR COIL COATINGS 0-125M	OBSOLETE						
SH1110N	SMALL FILMFUGE - CENTRIFUGAL FILM APPLICATOR	SHEEN			x			
SH1112N	LARGE FILMFUGE - CENTRIFUGAL FILM APPLICATOR	SHEEN			x			
SH1114	MULTIFILM APPLICATOR - 8 GAP SIZE - 25,50,75,100,125,150,175,200 µM	VF1550				x		
SH1115/120	WET FILM THICKNESS COMB 5-120UM (ISS F)		SP4000	WARNING: Range differs	x			
SH1115/1200	WET FILM THICKNESS COMB 50-1200UM(ISS F)		SP4010	WARNING: range differs	x			

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH1115/3	WET FILM THICKNESS COMBS - SET OF 3 INCLUDING CASE	OBSOLETE						
SH1115/600	WET FILM THICKNESS COMB 25-600UM (ISS F)	OBSOLETE						
SH1117/100	MICROMETER ADJUSTABLE APPLICATOR 100MM WIDE	SH0336						x
SH1117/150	MICROMETER ADJUSTABLE APPLICATOR 150MM WIDE	SH1140						x
SH1117/200	MICROMETER ADJUSTABLE APPLICATOR 200MM WIDE	SH0340						x
SH1117/250	MICROMETER ADJUSTABLE APPLICATOR 250MM WIDE	SH1142						x
SH1117/300	MICROMETER ADJUSTABLE APPLICATOR 300MM WIDE	SH0342						x
SH1118	SAGGING AND LEVELLING TESTER	OBSOLETE						
SH1120/18/10	WIRE BAR COATERS 18CM FILM WIDTH 10M WET FILM	SH0631			x			
SH1120/18/100	WIRE BAR COATERS 18CM FILM WIDTH 100M WET FILM	SH0326			x			
SH1120/18/12	WIRE BAR COATERS 18CM FILM WIDTH - 12um	SH0676			x			
SH1120/18/128	WIRE BAR COATERS 18CM FILM WIDTH 128M WET FILM	SH0919			x			
SH1120/18/14	WIRE BAR COATERS 18CM FILM WIDTH - 14um	SH0700			x			
SH1120/18/150	WIRE BAR COATERS 18CM FILM WIDTH 150M WET FILM	SH1686			x			
SH1120/18/16	WIRE BAR COATERS 18CM FILM WIDTH 16M WET FILM	SH0728			x			
SH1120/18/18	WIRE BAR COATERS 18CM FILM WIDTH 18uM WET FILM	SH0751			x			
SH1120/18/20	WIRE BAR COATERS 18CM FILM WIDTH 20M WET FILM	SH0799			x			
SH1120/18/200	WIRE BAR COATERS 18CM FILM WIDTH 200M WET FILM	SH0329			x			
SH1120/18/26	WIRE BAR COATERS 18CM FILM WIDTH 26M WET FILM	SH0897			x			
SH1120/18/28	WIRE BAR COATERS 18CM FILM WIDTH 28um WET FILM	SH0921			x			
SH1120/18/30	WIRE BAR COATER 18CM FILM WIDTH 30um WET FILM	SH0941			x			
SH1120/18/300	WIRE BAR COATERS 18CM FILM WIDTH 300M WET FILM	SH0338			x			
SH1120/18/32	WIRE BAR COATERS 18CM FILM WIDTH - 32um	SH0965			x			
SH1120/18/34	WIRE BAR COATER 18cm FILM WIDTH, 34uM WET FILM	SH0978			x			

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH1120/18/36	WIRE BAR COATERS 18CM FILM WIDTH 36M WET FILM	SH0994			x			
SH1120/18/38	WIRE BAR COATERS 18CM FILM WIDTH - 38um	SH1018			x			
SH1120/18/4	WIRE BAR COATERS 18CM FILM WIDTH 4M WET FILM	SH0168			x			
SH1120/18/40	WIRE BAR COATERS 18CM FILM WIDTH - 40um	SH1042			x			
SH1120/18/46	WIRE BAR COATERS 18CM FILM WIDTH 46uM WET FILM	SH1091			x			
SH1120/18/48	WIRE BAR COATERS 18CM FILM WIDTH- 48uM WET FILM	SH8007			x			
SH1120/18/50	WIRE BAR COATERS 18CM FILM WIDTH 50M WET FILM	SH1144			x			
SH1120/18/6	WIRE BAR COATERS 18CM FILM WIDTH 6M WET FILM	SH0232			x			
SH1120/18/60	WIRE BAR COATERS 18CM FILM WIDTH 60M WET FILM	SH1231			x			
SH1120/18/66	Wire Bar Coater SW 18CM 66UM	SH1266			x			
SH1120/18/70	WIRE BAR COATER 18cm FILM WIDTH, 70uM WET FILM	SH1280			x			
SH1120/18/76	WIRE BAR COATERS 18CM FILM WIDTH 76M WET FILM	SH1314			x			
SH1120/18/80	WIRE BAR COATERS 18CM FILM WIDTH 10M WET FILM	SH0631			x			
SH1120/18/80	WIRE BAR COATERS 18CM FILM WIDTH 80uM WET FILM	SH1341			x			
SH1120/18/88	WIRE BAR COATERS 18CM FILM WIDTH 88uM WET FILM	SH1372			x			
SH1120/18/A	WIRE BAR COATERS 18CM FILM WIDTH - SPECIAL SIZES	SH2005			x			
SH1120/18/IMP	SMALL IMPRESSION BED	VF1617			x			
SH1120/25/10	WIRE BAR COATERS 25CM FILM WIDTH 10M WET FILM		AB3723	Dimensional deviations	x			
SH1120/25/100	WIRE BAR COATERS 25CM FILM WIDTH 100M WET FILM		AB3737	Dimensional deviations	x			
SH1120/25/128	WIRE BAR COATERS 25CM FILM WIDTH 128M WET FILM		AB3754	Dimensional deviations	x			
SH1120/25/150	WIRE BAR COATERS 25CM FILM WIDTH 150M WET FILM		AB3739	Dimensional deviations	x			
SH1120/25/16	WIRE BAR COATERS 25CM FILM WIDTH 16M WET FILM		AB3726	Dimensional deviations	x			
SH1120/25/20	WIRE BAR COATERS 25CM FILM WIDTH 20uM WET FILM		AB3727	Dimensional deviations	x			
SH1120/25/200	WIRE BAR COATERS 25CM FILM WIDTH 200M WET FILM		AB3740	Dimensional deviations	x			

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH1120/25/26	WIRE BAR COATERS 25CM FILM WIDTH 26M WET FILM		AB3744	Dimensional deviations	x			
SH1120/25/30	WIRE BAR COATERS 25CM FILM WIDTH 30um WET FILM		AB3729	Dimensional deviations	x			
SH1120/25/32	WIRE BAR COATERS 25CM FILM WIDTH 32uM WET FILM		AB3746	Dimensional deviations	x			
SH1120/25/34	WIRE BAR COATERS 25CM FILM WIDTH 34uM WET FILM		AB3730	Dimensional deviations	x			
SH1120/25/36	WIRE BAR COATERS 25CM FILM WIDTH 36M WET FILM		AB3747	Dimensional deviations	x			
SH1120/25/50	WIRE BAR COATERS 25CM FILM WIDTH 50M WET FILM		AB3733	Dimensional deviations	x			
SH1120/25/70	WIRE BAR COATERS 25CM FILM WIDTH 70uM WET FILM		AB3751	Dimensional deviations	x			
SH1120/25/76	WIRE BAR COATERS 25CM FILM WIDTH 76M WET FILM		AB3736	Dimensional deviations	x			
SH1120/25/A	WIRE BAR COATERS 25CM FILM WIDTH - SPECIAL SIZES		AB3741	Dimensional deviations	x			
SH1120/25/IMP	LARGE IMPRESSION BED		VF1618	Dimensional deviations	x			
SH1132/BYK	Automatic film applicators	OBSOLETE						
SH1132N	AUTOMATIC FILM APPLICATOR - STANDARD MACHINE WITH GLASS BED	AB4120			x			
SH1133N	AUTOMATIC FILM APPLICATOR - STANDARD MACHINE WITH VACUUM BED	AB4220			x			
SH1133N/BYK	AUTOMATIC FILM APPLICATOR WITH VACUUM PLATE IN BYK DESIGN (EURO CABLE)	OBSOLETE						
SH1133N/BYK/110V	Automatic Film Applicator 110V BYK version	OBSOLETE						
SH1136	POLYESTER SHEETS (230 X 115MM) - 1000 / PACK (MIN QTY 1000)	OBSOLETE						
SH1137	AUTOMATIC FILM APPLICATOR - SMALLER SIZE MACHINE WITH RUBBER MAT	AB3650			x			
SH1137-2	SMALL AUTO APPLICATOR - ISSUE F (BYK Version)	AB3650			x			
SH1140/32/10	WIRE BAR COATERS 32CM FILM WIDTH 10M WET FILM		AB3053		x			
SH1140/32/100	WIRE BAR COATERS 32CM FILM WIDTH 100M WET FILM		AB3067		x			
SH1140/32/128	WIRE BAR COATERS 32CM FILM WIDTH 128M WET FILM		AB3097		x			
SH1140/32/14	WIRE BAR COATERS 32CM FILM WIDTH 14M WET FILM		AB3055		x			
SH1140/32/150	WIRE BAR COATERS 32CM FILM WIDTH 150M WET FILM		AB3072		x			
SH1140/32/16	WIRE BAR COATERS 32CM FILM WIDTH 16M WET FILM		AB3056		x			



<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH1140/32/20	WIRE BAR COATERS 32CM FILM WIDTH 20UM WET FILM		AB3056		x			
SH1140/32/200	WIRE BAR COATERS 32CM FILM WIDTH 200M WET FILM		AB3069		x			
SH1140/32/24	WIRE BAR COATERS 32CM FILM WIDTH 24M WET FILM		AB3058		x			
SH1140/32/26	WIRE BAR COATERS 32CM FILM WIDTH 26M WET FILM		AB3083		x			
SH1140/32/32	WIRE BAR COATERS 32CM FILM WIDTH 32M WET FILM		AB3085		x			
SH1140/32/36	WIRE BAR COATERS 32CM FILM WIDTH 36M WET FILM		AB3086		x			
SH1140/32/4	WIRE BAR COATERS 32CM FILM WIDTH 4UM WET FILM		AB3050		x			
SH1140/32/40	WIRE BAR COATERS 32CM FILM WIDTH 40UM WET FILM		AB3062		x			
SH1140/32/46	WIRE BAR COATERS 32CM FILM WIDTH 46um gap		AB3087		x			
SH1140/32/50	WIRE BAR COATERS 32CM FILM WIDTH 50M WET FILM		AB3063		x			
SH1140/32/60	WIRE BAR COATERS 32CM FILM WIDTH 60M WET FILM		AB3065		x			
SH1140/32/66	WIRE BAR COATERS 32CM FILM WIDTH 66M WET FILM		AB3089		x			
SH1140/32/70	WIRE BAR COATERS 32CM FILM WIDTH 70M WET FILM		AB3094		x			
SH1140/32/76	WIRE BAR COATERS 32CM FILM WIDTH 76M WET FILM		AB3066		x			
SH1140/32/A	WIRE BAR COATERS 32CM FILM WIDTH - SPECIAL SIZESFROM:		AB3071		x			
SH1150	CALLING CARD WET FILM GAUGES 25 - 2000M (ALUMINIUM)	LD2030						
SH1150A	CALLING CARD WET FILM GAUGE 25 - 2000µM (ALUMINIUM) WITH INDIVIDUAL LOGO (MIN QTY 100 PCS)		LD2030	CONTACT TQC FOR CUSTOM PRICING				
SH1155	WET FILM COMBS 50 - 5000 M1 - 9 PIECES EACH		SP4020	WARNING: Dimensions and range differs	x			
SH130683	H-38 LINEAR ABRASER, WEARERØ- VITRIFIED, VERY FINE (PKG. OF 5)	SH1356		See taber pricelist				
SH1501/100	WEIGHT PER GALLON CUP 100CC (ALUMINIUM)	VF2097				x		
SH1501/50	WEIGHT PER GALLON CUP- 50CC (ALUMINIUM)	VF2098				x		
SH1501A	WEIGHT PER US GALLON CUP	AS LONG AS STOCK LASTS						x
SH1503/100	STAINLESS STEEL WEIGHT PER GALLON CUP 100CC	VF2099				x		

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH1503/50	STAINLESS STEEL WEIGHT PER GALLON CUP 50CC	VF2100				x		
SH1503A	STAINLESS STEEL WEIGHT PER U.S. GALLON CUP	AS LONG AS STOCK LASTS						x
SH1510	PRESSURE DENSITY CUP	VF2095				x		
SH1510/100/P	BELLEVILLE WASHER	SH8017						
SH1510/A	PRESSURE DENSITY CUP US GALLON SIZE (83.2 CC)	AS LONG AS STOCK LASTS						x
SH155/SO	MICROGLOSS - SMALL ORIFICE - 60 DEG.	ON REQUEST						x
SH155/SO/M	MICROGLOSS - SMALL ORIFICE - 60 DEG. (0 - 999 GLOSS UNITS)	OBSOLETE						
SH157/018/S	CALIBRATION TILE ASSY SO,20/60&60(ISS B)	SH7101						x
SH157/20/60	BENCH MICROGLOSS - 20 AND 60 DEG.	OBSOLETE						
SH157/60	BENCH MICROGLOSS - 60 DEG. (0 - 999 GLOSS UNITS)	OBSOLETE						
SH157/60/SO	BENCH MICROGLOSS-60 DEG.SMALL ORIFICE (0 - 999 GLOSS UNITS)	OBSOLETE						
SH181/3	MICROMATCH PLUS - 4MM VIEWING AREA	SH0120						x
SH185	MICROMATCH PLUS- 20MM VIEWING AREA SEALED	OBSOLETE						
SH202/PIG	PAINT INSPECTION GAUGE - COMPLETE	SP1100			x			
SH260	GLOSSMASTER TRI 20/60/85 DEGREES	SH1230				x		
SH260C	GLOSSMASTER TRI 20/60/85 DEGREES - COLOUR	SH0575				x		
SH260T	TRI-GLOSSMASTER U 20/60/85 DEG. INCL.THICKNESS	SH0592				x		
SH261	GLOSSMASTER 20 DEGREE	SH1250				x		
SH262	GLOSSMASTER 60 DEGREE	OBSOLETE		-				
SH262C	GLOSSMASTER 60 DEGREE	SH0935		-		x		
SH263	GLOSSMASTER 85 DEGREE	OBSOLETE		-				
SH281	SPECTROMATCH 45/0 GLOSS SPECTROPHOTOMETER	SH1351		-		x		
SH282	SPECTROMATCH SPHERE SPECTROPHOTOMETER / d8 SPIN	SH1353		-		x		
SH301/2A	COATED (255 X 140MM) - 1000 / PACK	SH0933		Several alternative TQC Test charts available.				



<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH301/2AN	HIDING POWER CHART (U.V. COATED)WITHOUT OPTICAL BRIGHTENER	SH1411		Several alternative TQC Test charts available.				
SH301/2AU	UNCOATED PENETRATION CHARTS - 1000 / PACK (MIN QTY 500)	SH1419		Several alternative TQC Test charts available.				
SH301A	SHEEN HIDING POWER CHARTS - COATED (250 X 180MM)- 1000 / PACK	SH0774		Several alternative TQC Test charts available.				
SH301AU	UNCOATED PENETRATION CHARTS - 1000 / PACK (MIN QTY 500)	SH1420		Several alternative TQC Test charts available.				
SH301B	COATED (250 X 180MM) - 1000 / PACK	SH0777		Several alternative TQC Test charts available.				
SH301C	COATED (250 X 180MM) - 1000 / PACK	SH0779		Several alternative TQC Test charts available.				
SH301D	COATED (250 X 180MM) - 1000 / PACK	SH0780		Several alternative TQC Test charts available.				
SH301E	COATED (150 X 100MM) - 1000 / PACK	SH0781		Several alternative TQC Test charts available.				
SH301EU	UNCOATED PENETRATION CHARTS - 1000 / PACK (MIN QTY 500)	SH1612		Several alternative TQC Test charts available.				
SH301F	COATED (150 X 100MM) - 1000 / PACK	SH0782		Several alternative TQC Test charts available.				
SH301FN	HIDING POWER CHART (U.V. COATED)WITHOUT OPTICAL BRIGHTENER	SH1621		Several alternative TQC Test charts available.				
SH301G	UNCOATED PENETRATION CHARTS - 1000 / PACK (MIN QTY 500)	SH0783		Several alternative TQC Test charts available.				
SH301H	COATED (420 X 300MM) - 1000 / PACK	SH0784		Several alternative TQC Test charts available.				
SH301HU	UNCOATED HIDING POWE	SH1631		Several alternative TQC Test charts available.				
SH301J	COATED (420 X 300MM) - 1000 / PACK	SH0785		Several alternative TQC Test charts available.				
SH301K	COATED (420 X 300MM) - 1000 / PACK	SH0786		Several alternative TQC Test charts available.				
SH301L	COATED (185 X 75MM) - 1000 / PACK	SH0787		Several alternative TQC Test charts available.				

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH302/1	CRYPTOMETER WITH TWO PLATES K=004 AND K=008	OBSOLETE			x			
SH302/2	CRYPTOMETER WITH TWO PLATES K=002 AND K=007	OBSOLETE			x			
SH302/K002	EXTRA TOP PLATE K=002(302/008/S ISS E)	OBSOLETE						
SH302/K0035	EXTRA TOP PLATE K=0035	OBSOLETE						
SH302/K004	EXTRA TOP PLATE K=004 (302/008/S ISS E)	OBSOLETE						
SH302/K007	EXTRA TOP PLATE K=007 (302/008/S ISS E)	OBSOLETE						
SH302/K008	EXTRA TOP PLATE K=008 (302/008/D ISS E)	OBSOLETE						
SH310	SHEEN-OPAC - BATTERY OPERATED OPACITY REFLECTOMETER	SH0657				x		
SH310/016/S	CALIBRATION TILE ASSEMBLY (ISS C)	SH7093						x
SH310/019/D	TILE HOLDER (SHEEN) (ISS H)	SH4183						
SH310/019/S	L'Oreal TILE ASSEMBLY	OBSOLETE						
SH331/2	TILTING TABLE	OBSOLETE						
SH401/2	BS FLOW CUP, BS3900 (1971) OLD SPECIFICATION(B2)	SH0070					x	x
SH401/3	BS FLOW CUP, BS3900 (1971) OLD SPECIFICATION(B3)	SH0127					x	x
SH401/4	BS FLOW CUP, BS3900 (1971) OLD SPECIFICATION(B4)	SH0165					x	x
SH401/5	BS FLOW CUP, BS3900 (1971) OLD SPECIFICATION(B5)	SH0201					x	x
SH401/6	BS FLOW CUP, BS3900 (1971) OLD SPECIFICATION(B6)	SH2030					x	x
SH402/4	PARLIN FLOW CUP NO 4	OBSOLETE						
SH402/A15	BS Flow Cup Type A Special A15 - Brass Cup Not Parlin	OBSOLETE						
SH402/A20	BS Flow Cup Type A Special A20 – Brass Cup Not Parlin	OBSOLETE						
SH404/2	DIN FLOW CUP (2 MM) -DIN 53211	VF2000					x	x
SH404/4	DIN FLOW CUP (4 MM) -DIN 53211	VF1999					x	x
SH404/6	DIN FLOW CUP (6 MM) -DIN 53211	VF2003					x	x
SH404/8	DIN FLOW CUP (8 MM) -DIN 53211	VF2004					x	x

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH405/1	ZAHN FLOW CUP NO 1 - ASTM D4212		VF2226	Flow time may differ.*			x	x
SH405/2	ZAHN FLOW CUP NO 2 - ASTM D4212		VF2227	Flow time may differ.*			x	x
SH405/2/RK	ZAHN FLOW CUP NO 2 RK- ASTM D4212	OBSOLETE						
SH405/3	ZAHN FLOW CUP NO 3 - ASTM D4212		VF2228	Flow time may differ.*			x	x
SH405/4	ZAHN FLOW CUP NO 4 - ASTM D4212		VF2229	Flow time may differ.*			x	x
SH405/5	ZAHN FLOW CUP NO 5 - ASTM D4212		VF2230	Flow time may differ.*			x	x
SH405/6	ZAHN CUP 6MM	OBSOLETE						
SH405/ST	STAND TO HOLD 5 ZAHN CUPS	OBSOLETE						
SH406/1	FORD FLOW CUP NO 1 - ASTM D1200	VF2041					x	x
SH406/2	FORD FLOW CUP NO 2 - ASTM D1200	VF2030					x	x
SH406/3	FORD FLOW CUP NO 3 - ASTM D1200	VF2031					x	x
SH406/4	FORD FLOW CUP NO 4 - ASTM D1200	VF2032					x	x
SH406/5	FORD FLOW CUP NO 5 - ASTM D1200	VF2033					x	x
SH407	VISCOMETER KREBS - STROBE VERSION (220-240V, 50HZ)	OBSOLETE						
SH407/012/D	BOBBIN SPRING (ISS B)	OBSOLETE						
SH407/018/D	PULLEY SPIGOT (ISS E)	OBSOLETE						
SH407/037/S	WEIGHT CARRIER ASSEMBLY	OBSOLETE						
SH407/042/D	PADDLE ASSEMBLY (ISS G)	OBSOLETE						
SH407/043/D	STD PASTE PADDLE	OBSOLETE						
SH407/085/S	WEIGHT SET RPV (ISS A)	OBSOLETE						
SH407/086/S	PULLEY ASSEMBLY (ISS A)	OBSOLETE						
SH407/107/P	SHEEN NYLON CORD	OBSOLETE						
SH407/109/P	NEON 220V	OBSOLETE						
SH407/116/P	TIN 500 mL WITH LIDn (Minimum order 5 tins)	OBSOLETE						

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH407A	VISCOMETER KREBS - TACHOMETER VERSION (DUAL VOLTAGE)	OBSOLETE						
SH408	CO-AXIAL CYLINDER ATTACHMENT FOR 407 & 407A	OBSOLETE						
SH409/032/D	SPIRAL SPRING 15-340 POISE (ISS C)	OBSOLETE						
SH409/034/S	Paddle for 409 ICI Rotothinner	OBSOLETE						
SH409/081/D	CAN 250ML (ISS A)	DV2074 & DV2075						
SH414N	GEL STRENGTH TESTER (220-240V, 50HZ)	SH1117				x		
SH414N/220/D	PADDLE GEL STRENGTH TESTER (ISS A)	SH1554						
SH414N/220/D2	GEL STRENGTH PADDLE 10mm (high) x 30mm (width) - 38%	SH1490						
SH415	TEMPERATURE VISC. CALCULATOR-5 1/2 DEG C (SOLVENT BASED)	SH0725						
SH416	TEMPERATURE VISC. CALCULATOR-22/3 DEG C (WATER BASED)	SH0734						
SH417/3	FLOW CUPS TO ISO/DIN 2431 AND BS EN535 (1991) NO.3	VF2090					x	x
SH417/4	FLOW CUPS TO ISO/DIN 2431 AND BS EN535 (1991) NO.4	VF2091					x	x
SH417/5	FLOW CUPS TO ISO/DIN 2431 NO.5	VF2183					x	x
SH417/6	FLOW CUPS TO ISO/DIN 2431 AND BS EN 535 (1991) NO.6	VF2092					x	x
SH417/8	FLOW CUPS TO ISO/DIN 2431 AND BS EN535 (1991)NO.8	VF2093					x	x
SH418	HEIGHT ADJUSTABLE STAND FOR FLOW CUPS INCLUDING SPIRIT LEVEL	SH0764						
SH418/LC	LOW COST FLOW CUP STAND INCLUDING SPIRIT LEVEL	VF2061						
SH419/2.5	AFNOR CUP - 2.5MM -NFT30-014	VF2195					x	x
SH419/4	AFNOR CUP - 4MM-NFT30-014	VF2196					x	x
SH419/6	AFNOR CUP - 6MM-NFT30-014	VF22197					x	x
SH419/8	AFNOR CUP - 8MM	VF2198					x	x
SH420/2	FRIKMAR CUP - DIN FLOW CUP WITH HANDLE (2mm) - DIN 53211	VF2071					x	x
SH420/4	FRIKMAR CUP - DIN FLOW CUP WITH HANDLE (4mm) - DIN 53211	VF2073					x	x
SH420/6	FRIKMAR CUP - DIN FLOW CUP WITH HANDLE (6mm) - DIN 53211	VF2075					x	x

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH420/8	FRIKMAR CUP - DIN FLOW CUP WITH HANDLE (8mm) - DIN 53211	VF2077					x	x
SH421	LORY FLOW CUP	VF2199					x	x
SH422/1	SHELL FLOW CUP NO 1	SH0044					x	x
SH422/2	SHELL FLOW CUP NO 2	SH0090					x	x
SH422/3	SHELL FLOW CUP NO 3	SH0134					x	x
SH422/4	SHELL FLOW CUP NO 4	SH0178					x	x
SH422/5	SHELL FLOW CUP NO 5	SH0205					x	x
SH4371	Replacement Gloss Standard & Holder with Tile Calibration	OBSOLETE						
SH441	CANNON CALIBRATION OIL - SPECIALS	OBSOLETE						
SH441/1	CANNON CALIBRATION OIL 50 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/10	CANNON CALIBRATION OIL 500 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/11	CANNON CALIBRATION OIL 700 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/12	CANNON CALIBRATION OIL 1000 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/13	CANNON CALIBRATION OIL 1500 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/14	CANNON CALIBRATION OIL 2500 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/15	CANNON CALIBRATION OIL 4000 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/16	CANNON CALIBRATION OIL 6000 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/17	CANNON CALIBRATION OIL 8000 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/18	CANNON CALIBRATION OIL 10000 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/19	CANNON CALIBRATION OIL 15000 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/2	CANNON CALIBRATION OIL 75 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/20	CANNON CALIBRATION OIL 20000 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/3	CANNON CALIBRATION OIL 100 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/4	CANNON CALIBRATION OIL 150 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH441/5	CANNON CALIBRATION OIL 200 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/6	CANNON CALIBRATION OIL 250 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/7	CANNON CALIBRATION OIL 300 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/8	CANNON CALIBRATION OIL 350 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/9	CANNON CALIBRATION OIL 400 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH441/N1000KU	CANNON Calibration Oil 1985 CPS @ 25 DEGREE	OBSOLETE						
SH441/N1000KU	CANNON Calibration Oil 1985 CPS @ 25 DEGREE	OBSOLETE						
SH441/RT5000	Cannon Oil RT5000	OBSOLETE						
SH441/S200KU	CANNON CALIBRATION OIL 400 CPS @ 25 DEGREES C +/- 0.2%	OBSOLETE						
SH442/1	SHEEN CALIBRATION OIL 50 CPS @ 25 DEGREES C +/- 0.2%	SH0032				x		
SH442/10	SHEEN CALIBRATION OIL 500 CPS @ 25 DEGREES C +/- 0.2%	SH0630				x		
SH442/11	SHEEN CALIBRATION OIL 700 CPS @ 25 DEGREES C +/- 0.2%	SH0659				x		
SH442/12	SHEEN CALIBRATION OIL 1000 CPS @ 25 DEGREES C +/- 0.2%	SH0675				x		
SH442/13	SHEEN CALIBRATION OIL 1500 CPS @ 25 DEGREES C +/- 0.2%	SH0692				x		
SH442/14	SHEEN CALIBRATION OIL 2500 CPS @ 25 DEGREES C +/- 0.2%	SH0699				x		
SH442/15	SHEEN CALIBRATION OIL 4000 CPS @ 25 DEGREES C +/- 0.2%	SH0718				x		
SH442/16	SHEEN CALIBRATION OIL 6000 CPS @ 25 DEGREES C +/- 0.2%	SH0727				x		
SH442/17	SHEEN CALIBRATION OIL 8000 CPS @ 25 DEGREES C +/- 0.2%	SH0741				x		
SH442/18	SHEEN CALIBRATION OIL 10000 CPS @ 25 DEGREES C +/- 0.2%	SH0750				x		
SH442/19	SHEEN CALIBRATION OIL 15000 CPS @ 25 DEGREES C +/- 0.2%	SH0766				x		
SH442/2	SHEEN CALIBRATION OIL 75 CPS @ 25 DEGREES C +/- 0.2%	SH0063				x		
SH442/20	SHEEN CALIBRATION OIL 20000 CPS @ 25 DEGREES C +/- 0.2%	SH0793				x		
SH442/21	SHEEN CALIBRATION OIL 14 CPS @ 25 DEGREES C +/- 0.2%	SH0823				x		
SH442/22	SHEEN CALIBRATION OIL 28 CPS @ 25 DEGREES C +/- 0.2%	SH0835				x		



<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH442/23	SHEEN CALIBRATION OIL 385 CPS @ 25 DEGREES C +/- 0.2%	SH0851				x		
SH442/24	SHEEN CALIBRATION OIL 2000 CPS @ 25 DEGREES C +/- 0.2%	SH0855				x		
SH442/3	SHEEN CALIBRATION OIL 100 CPS @ 25 DEGREES C +/- 0.2%	SH0116				x		
SH442/4	SHEEN CALIBRATION OIL 150 CPS @ 25 DEGREES C +/- 0.2%	SH0156				x		
SH442/5	SHEEN CALIBRATION OIL 200 CPS @ 25 DEGREES C +/- 0.2%	SH0194				x		
SH442/6	SHEEN CALIBRATION OIL 250 CPS @ 25 DEGREES C +/- 0.2%	SH0224				x		
SH442/7	SHEEN CALIBRATION OIL 300 CPS @ 25 DEGREES C +/- 0.2%	SH0250				x		
SH442/8	SHEEN CALIBRATION OIL 350 CPS @ 25 DEGREES C +/- 0.2%	SH0259				x		
SH442/9	SHEEN CALIBRATION OIL 400 CPS @ 25 DEGREES C +/- 0.2%	SH0280				x		
SH443/15000	SHEEN CALIBRATION OIL 40000@25DEG	SH0289				x		
SH443/30000	SHEEN CALIBRATION OIL 73000@25DEG	SH0290				x		
SH443/D10	SHEEN CALIBRATION OIL 9.9@25DEG	SH0623				x		
SH443/D1000	SHEEN CALIBRATION OIL 1000@25DEG	SH0291				x		
SH443/D5	SHEEN CALIBRATION OILS5.0@25DEG	SH1585				x		
SH443/D500	SHEEN CALIBRATION OIL 500@25DEG	SH0292				x		
SH443/D5000	SHEEN CALIBRATION OIL 5000@25DEG	SH0293				x		
SH443/D7500	SHEEN CALIBRATION OIL 7600@25DEG	SH0294				x		
SH443/N10	SHEEN CALIBRATION OIL 14@25DEG	SH0624				x		
SH443/N100	SHEEN CALIBRATION OIL,240@25DEG	SH0295				x		
SH443/N1000	SHEEN CALIBRATION OIL 2600@25DEG	SH0296				x		
SH443/N10200	SHEEN CALIBRATION OIL. 30991 CP@25 DEG	OBSOLETE						
SH443/N2	SHEEN CALIBRATION OIL 1.8@25DEG	SH1670				x		
SH443/N35	SHEEN CALIBRATION OIL 51@25DEG	SH0984				x		
SH443/N4000	SHEEN CALIBRATION OIL 10000@25DEG	SH0297				x		

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH443/S20	SHEEN CALIBRATION OIL 28@25DEG	SH0794				x		
SH443/S200	SHEEN CALIBRATION OIL 400@25DEG	SH0298				x		
SH443/S3	SHEEN CALIBRATION OIL 3.3@25DEG	SH1743				x		
SH443/S60	SHEEN CALIBRATION OIL 100@25DEG	SH1228				x		
SH443/S8000	SHEEN CALIBRATION OIL 20000@25DEG	SH0301				x		
SH4500N	SMALL AUTOMATIC PANEL SPRAYER, SINGLE GUN FACILITY	SH0586			x			
SH4500N/1	SHERWIN WILLIAMS VERSION OF 4500N	ON REQUEST						
SH4500N/1/BASF	BASF SHERWIN WILLIAMS VERSION OF 4500N	ON REQUEST						
SH450N	AUTOVISC FLOW CUP TIMER - COMPLETE	OBSOLETE						
SH450N/111/D	COVER PLATE	VF2063						
SH450N/633/P	MAINS ADAPTER KIT 12V (HAREDATA ELECT.)	OBSOLETE						
SH455/100/P	MOTOR S240-1A	ON REQUEST						
SH455N/007/S	MOTOR ASSEMBLY (ISS A)	OBSOLETE						
SH455N/034/S	PADDLE ASSY 15 POISE (ISS C)	SH7045						
SH455N/037/S	BALL PADDLE ASSY 0-65 POISE (ISS C)	SH7046						
SH455N/040/S	BALL PADDLE ASSY 0-340 POISE (ISS B)	SH7047						
SH455N/094/S	CHUCK ASSY (ISS A)	SH7076						
SH455N/15	DIGITAL ROTOTHINNER (0-15 POISE)	DV2000		Add DV2010		x		
SH455N/340	DIGITAL ROTOTHINNER (0-340 POISE)	DV2000		Add DV2012		x		
SH455N/65	DIGITAL ROTOTHINNER (0-65 POISE)	DV2000		Add DV2011		x		
SH4700N	MEDIUM AUTOMATIC PANEL SPRAYER TWIN GUN FACILITY, 2 FLASH OFF TIMERS, 1 COATING COUNTER	SH0590			x			
SH4700N/046/D	GUN SUPPORT-SATA	SH4029						
SH4700N/064/D	GUN CARRIER R.H. (ISS C)	SH4044						
SH4700N/064/D2	GUN CARRIER L.H. (ISS C)	SH1487						

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH4700N/PPG	MEDIUM AUTOMATIC PANEL SPRAYER (BRANDED PPG)	SH1702			x			
SH4700N/PPG/2	MEDIUM AUTOMATIC PANEL SPRAYER TO PPG MODIFICATIONS	SH0112			x			
SH480	VISCOMETER KREBS - DIGITAL READ OUT (KREBS/POISE/GRAMS)	SH1349				x		
SH480/002/2/S	MICRO INTERFACE & DISPLAY ASSY (ISS A)	SH7210						
SH480/003/S	POWER SUPPLY/MOTOR DRIVE PCB ASSY(ISS E)	SH7003						
SH480/005/2/S	INTERFACE PCB ASSY (ISS A)	OBSOLETE						
SH480/014/S	MAINS TRANSFORMER ASSY (ISS E)	SH7109						
SH480/015/S	PRINTER LEAD (ISS A, SEE TECHNICAL NOTES)	SH7113						
SH480/020/D1	MAGNETIC BASE (ISS E)	SH1440						
SH480/035/S	PADDLE ASSEMBLY (ISS B)	SH7008						
SH480/036/S	HIGH VISCOSITY PADDLE	SH7009						
SH490/1/CK	0-10 POISE CONE KIT - 5 CERTIFIED OILS, 1 CONE	SH1432				x		
SH490/10/CK	0-5 POISE CONE KIT - 5 CERTIFIED OILS, 1 CONE FOR CP2	SH1435				x		
SH490/166/D1	CALIBRATION OIL KIT 0-10 POISE(ISS A)	SH1439				x		
SH490/166/D2	CALIBRATION OIL KIT 0-20 POISE (ISS A)	SH1480				x		
SH490/166/D3	CALIBRATION OIL KIT 5-50 POISE (ISS A)	SH1551				x		
SH490/166/D4	CALIBRATION OIL KIT 10-100POISE (ISS A)	SH1575				x		
SH490/166/D5	CALIBRATION OIL KIT 0-5 POISE (ISS A)	SH1584				x		
SH490/166/D7	CALIBRATION OIL KIT 0-20 POISE	SH1595				x		
SH490/2/CK	0-20 POISE CONE KIT - 5 CERTIFIED OILS, 1 CONE	SH1428				x		
SH490/3/CK	5-50 POISE CONE KIT - 5 CERTIFIED OILS, 1 CONE	SH1427				x		
SH490/4/CK	10-100 POISE CONE KIT - 5 CERTIFIED OILS, 1 CONE	SH1434				x		
SH490/5/CK	0-5 POISE CONE KIT - 5 CERTIFIED OILS, 1 CONE	SH1429				x		
SH490/6/CK	0-10 POISE CONE KIT - 5 CERTIFIED OILS, 1 CONE FOR CP2	SH1433				x		

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH490/754/D1	CONE0-10 POISE (ISS A)	SH1464						
SH490/8/CK	5-50 POISE CONE KIT - 5 CERTIFIED OILS, 1 CONE FOR CP2	SH1430				x		
SH495	DISPERMASTER LABORATORY DISPERSER S2 - 2 LITRE CAPACITY	OBSOLETE						
SH495/1	30MM DISPERSING HEAD	OBSOLETE						
SH495/4	1L CAPACITY DISPERSING VESSEL	OBSOLETE						
SH498	MANUAL PENETROMETER	OBSOLETE						
SH498/1	NEEDLE KIT ASTM D5 (1 STD NEEDLE / 1PLUNGER / 1 SAMPLE CUP)	OBSOLETE						
SH498/2	CONE KIT ASTM D217 (1 STD CONE / 1PLUNGER / 1 SAMPLE CUP)	OBSOLETE						
SH499/10	SAMPLE CUP 76 X 63MM	OBSOLETE						
SH499/6	ADDITIONAL WEIGHT 100G	OBSOLETE						
SH499/7	ADDITIONAL WEIGHT 50G	OBSOLETE						
SH499/9	STANDARD CONE FOR ASTM D217	OBSOLETE						
SH5005A/C	Pair of Calibration Foils Special Range. Select 2 values from the following: 12, 25, 37, 50, 75, 100, 125, 150, 175, 190, 200, 225, 250, 275, 300, 350, 375, 500, 625, 750, 1000, 1250, 1500, 2000, 3000	LD5400						x
SH5006	CALIBRATED STANDARDS FOR ALL THICKNESS GAUGES-EACH	LD5417				x		
SH5006/1	CALIBRATED STANDARDS - SET OF 8 IN PROTECTIVE CASE	LD5417				x		
SH5006/13	CALIBRATED STANDARDS FOR ALL THICKNESS GAUGES - EACH INCLUDING CALIBRATION CERTIFICATE - 13 uM	OBSOLETE						
SH5006/900	CALIBRATED STANDARDS FOR THICKNESS GAUGES 900microns	OBSOLETE						
SH5006/F2001	Non-Calibration Foils 0-1000m (25, 50, 75, 125, 175, 250, 500, 750m)	OBSOLETE						
SH5006/F2001/C	Calibration Foils 0-1000µm (25, 50, 75, 125, 175, 250, 500, 750µm)	OBSOLETE						
SH5006A/C	Set of 8 Calibration Foils Special Range. Select 8 values from the following: 12, 25, 37, 50, 75, 100, 125, 150, 175, 190, 200, 225, 250, 275, 300, 350, 375, 500, 625, 750, 1000, 1250, 1500, 2000, 300		LD5417			x		
SH501/100	FINENESS OF GRIND GAUGE - DOUBLE CHANNEL MODEL SIZE 0-100UM	VF2113				x		
SH501/25	FINENESS OF GRIND GAUGE - DOUBLE CHANNEL 0-25UM(ISS B)	VF2111				x		

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH501/50	FINENESS OF GRIND GAUGE - DOUBLE CHANNEL MODEL SIZE 0-50UM	VF2112				x		
SH501A	FINENESS OF GRIND GAUGE – DOUBLE CHANNEL MODEL OTHER SIZES	VF2140				x		
SH502/100	FINENESS OF GRIND GAUGE - SINGLE CHANNEL MODEL SIZE 0-100UM	VF2107				x		
SH502/25	FINENESS OF GRIND GAUGE - SINGLE CHANNEL MODEL SIZE 0-25UM	VF2105				x		
SH502/50	FINENESS OF GRIND GAUGE - SINGLE CHANNEL MODEL SIZE 0-50UM	VF2106				x		
SH504/100	FINENESS OF GRIND GAUGE - WIDE CHANNEL MODEL SIZE 0-100UM	VF2123				x		
SH504/25	FINENESS OF GRIND GAUGE - WIDE CHANNEL MODEL SIZE 0-25UM	VF2121				x		
SH504/50	FINENESS OF GRIND GAUGE - WIDE CHANNEL MODEL SIZE 0-50UM	VF2122				x		
SH504A	FINENESS OF GRIND GAUGE –WIDE CHANNEL MODEL OTHER SIZES	VF2142				x		
SH505	SPARE BLADE FOR FINENESS OF GRIND GAUGE	VF2116						
SH510	FINENESS OF GRIND GAUGE OTHER CHANNELS AND SIZES	ON REQUEST						
SH510/200	SPECIAL GRIND GAUGE 200uM (CALIBRATION INCLUDED)	OBSOLETE						
SH510/200/400	GRIND GAUGE 200-400uM WITH 20uM STAGES	OBSOLETE						
SH510/TIOXIDE	DOUBLE CHANNEL F.O.G.G TIOXIDE SPECS (drawing 510/013/D)	OBSOLETE						
SH5135	TABER ROTARY ABRASER SINGLE HEAD (230/110V, 50/60HZ)	TB0156				x		
SH5155	TABER ROTARY ABRASER DUAL HEAD (230/110V, 50/60HZ)	TB0157				x		
SH5750	LINEAR ABRASER (230/110V, 50/60HZ)	TB0165			x			
SH605	BUCHHOLZ INDENTATION TESTER-COMPLETE	SP1900			x	x		
SH705	MECHANISED SCRATCH TESTER - ISO 1518 / BS 3900 (220-240V,50HZ)	SH0530			x	x		
SH705/1	MECHANISED SCRATCH TESTER ASTM D5178/1991(220-240V, 50HZ)	SH0060			x	x		
SH705/1/110V	MECHANISED SCRATCH TESTER ASTM D5178/1991 (110-120V, 60HZ)	SH0601			x	x		
SH705/2	MECHANISED SCRATCH TESTER ASTM D2197/1991 (220-240V, 50HZ)	SH0107			x	x		
SH705/2/110V	MECHANISED SCRATCH TESTER ASTM D2197/1991(110-120V, 60HZ)	SH0600			x	x		
SH706	HAND SCRATCH TESTER INCLUDING WEIGHTS/NEEDLES	OBSOLETE						

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH706/032/S3	TUNGSTEN CARBIDE BALL NEEDLE 1MM T/C (ISS E)	SH1750			x			
SH707K	PENDULUM HARDNESS ROCKER (KOENIG)		SP0500	Include SP0505		x		
SH707KP	PENDULUM HARDNESS ROCKER (KOENIG & PERSOZ)		SP0500	Include SP0505 & SP0510		x		
SH707P	PENDULUM HARDNESS ROCKER (PERSOZ)		SP0500	Include SP0510		x		
SH710/934/1	BARCOL HARDNESS TESTER (25 - 150 BRINELL - FLAT SURFACES)FIBREGLASS		VF6500		x			
SH710/934/2	BARCOL HARDNESS TESTER (SOFTER METALS / PLASTIC)	OBSOLETE			x			
SH720N	PENCIL TEST (WOLFF WILBURN)-COMPLETE	VF2377				x		
SH750/1	CROSS HATCH CUTTER (1MM,6 TEETH)	VF2355			x			
SH750/2	CROSS HATCH CUTTER (1MM, 11 TEETH)	VF2359			x			
SH750/3	CROSS HATCH CUTTER (1.5MM)	VF1861			x			
SH750/4	CROSS HATCH CUTTER (2MM)	VF2357			x			
SH750/5	CROSS HATCH CUTTER (3MM)	VF2358			x			
SH750/501/P	TAPE 25mm WIDE,(ZOUCH : ZOUCOll 4B)		SP3007					
SH750/CK	KIT FOR REF 750 - BRUSH, MAGNIFIER, TAPE & CARRYING CASE	OBSOLETE						
SH755/1/XA001	FLAT DOLLIES - STAINLESS STEEL (10 UNITS - MINIMUM ORDER)	OBSOLETE						
SH755/X1003	HATE ADHESION TESTER	OBSOLETE						
SH760	CUPPING TESTER (COMPLETE)	OBSOLETE						
SH760/018/D	ZERO PLATE (ISS B)		SP4427					
SH760/103/P	MAGNIFIER (MAPLIN BZ53H) (760/103/P)	SH5618						
SH760N	CUPPING TESTER	AS LONG AS STOCK AVAILABILITY LASTS		TQC Sheen alternative SP4400 or SP4300				
SH760N/BYK	NEW CUPPING TESTER	OBSOLETE						
SH801	CONICAL MANDREL	SP18331			x			
SH806/011/D	IMPACTER 3/4 IN BALL (ISS C)	ON REQUEST						
SH806/012/D	WEIGHT PRIMARY 4lb (1.8KG)(ISS D)	ON REQUEST						

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH806/014/D	1lb IMPACTOR WEIGHT	ON REQUEST						
SH806/024/D	EXTRA WEIGHT 500gms	ON REQUEST						
SH806/025/D	500g WEIGHT PRIMARY	ON REQUEST						
SH806/027/D	WEIGHT PRIMARY 2Lb(908gm) (ISS A)	ON REQUEST						
SH806/042/D	1 KG WEIGHT - TUBULAR IMPACT TESTER	ON REQUEST						
SH806/047/D	IMPACTER 5/8 INCH BALL (ISS E)	ON REQUEST						
SH806/048/D	12.7mm INDENTER	ON REQUEST						
SH806/051/D	SECONDARY ANVIL (5/8 & 1/2 BALL)(ISSC)	ON REQUEST						
SH806/25	TUBULAR IMPACT TESTER-25 TUBE - BS6496-84	ON REQUEST						
SH806/40	TUBULAR IMPACT TESTER-40 TUBE - ASTM D2794	SP1880			x			
SH806/40/A/1KG	TUBULAR IMPACT TESTER - 40" TUBE - ASTM D2794 with 1KG WEIGHT	SP1880			x			
SH807	TUBULAR IMPACT TESTER-ISO 6272, DIN55669, BS3900 : E13	SP1891			x			
SH807/005/D	IMPACTER 1Kg/20mm	ON REQUEST						
SH807/009/D	Clamp Ring (ISS A) (Supplied with SH807/011/D, SH807/013/D)	ON REQUEST						
SH807/020/D	500g IMPACTOR WEIGHT	ON REQUEST						
SH807/022/D	INDENTER 12.75	ON REQUEST						
SH809	MANDREL BENDING TESTER TO DIN 53152/ISO 1519/BS 3900	SP1820			x			
SH809A	MANDREL BENDING TESTER TO ASTM D522	SP1822			x			
SH903	STANDARD MODEL WET ABRASION TESTER (220-240V, 50HZ)	AB6000			x			
SH903/018/D	CRANK SPACER (ISS B)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/019/D	CRANK PIN (ISS E)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/020/A/BYK	Brush holder with Beam (BYK	ON REQUEST		Please refer to TQC washability for alternative				

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH903/020/D	ROLLER CRANK ARM (ISS B)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/024/S	CRANK ARM ASSEMBLY (ISS B)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/029/D	ACTUATOR CAM (ISS C)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/034/D	BOTTLE BRACKET (ISS D)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/037/D	ADDITIONAL WEIGHTS-2 SETS	ON REQUEST		Please refer to TQC washability for alternative				
SH903/041/S	BRUSH CARRIAGE ASSEMBLY (ISS C SEE NOTES)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/044/S	BRUSH CARRIAGE ASSY TO ASTM D2486(ISS F)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/045/S	BRUSH CARRIAGE ASSEMBLY DIN 53778(ISS G)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/045/S/BYK	BRUSH CAR ASSY DIN	ON REQUEST		Please refer to TQC washability for alternative				
SH903/050/D	ABRASIVE PADS FOR BS 7719 (ISS C)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/061/D	GLASS PANEL (ISSUE B)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/063/D	CUSHIONING PAD (ISS A)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/064/D3	OPTIONAL 226g WEIGHT	ON REQUEST		Please refer to TQC washability for alternative				
SH903/065/S	SPONGE CARRIAGE ASSY ASTM D3450 (ISS E)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/069/D2	BRUSH NYLON BACK/HOG	ON REQUEST		Please refer to TQC washability for alternative				
SH903/074/S	CLAMPING FRAME ASSEMBLY (ISS D)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/076/D	CLAMPING CHANNEL (ISS E)	ON REQUEST		Please refer to TQC washability for alternative				

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH903/081/D	HANDLE (ISS A)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/082/S	SPONGE CARRIAGE ASSY ASTM D4213-96(ISS E)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/083/S	SPONGE CARRIAGE ASSY ASTM D4828 (ISS C)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/1	WET ABRASION SCRUB TESTER - DIN 53778 (220-240V, 50HZ)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/1/BYK	BYK WET ABRASION SCRUB TESTER TO DIN 53778 (INC. 903/106/S PUMP)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/110V	STANDARD MODEL WET ABRASION TESTER (110-120V, 60HZ)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/112/D1	SPACER 1/2 DIN 53 778 & BS7719 (ISS D)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/120/S	PUMP SPEED CONTROL ASSY (ISS B)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/125/D	SPONGE (ASTM D3450) (ISS B)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/127/P	MOTOR 220V 50HZ 35RPM 40:1 -4Z -CUS	ON REQUEST		Please refer to TQC washability for alternative				
SH903/128/P	MOTOR 110V 60HZ 35RPM	ON REQUEST		Please refer to TQC washability for alternative				
SH903/133/P	PUMP MTR.12VDC 40RPM 2-40/0712/GS38.0100	ON REQUEST		Please refer to TQC washability for alternative				
SH903/136/P	PUMP (WATSON-MARLOW 013.2001.000)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/138/P2	BLACK PLASTIC TEST PANEL - COBEX (100 Min order)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/140/P	TWIN TAPSREF: 11760	ON REQUEST		Please refer to TQC washability for alternative				
SH903/141/P	BOTTLE KIT	ON REQUEST		Please refer to TQC washability for alternative				
SH903/148/P	SILICONE TUBE (SILEX 4.8 X 1.6 TRANSLUC)	ON REQUEST		Please refer to TQC washability for alternative				

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH903/150/P	BRUSH WOOD HOG BRISTLE	ON REQUEST		Please refer to TQC washability for alternative				
SH903/151/P	BRUSH WOOD (NYLON BRUSH)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/152/P	BRUSH ALUMINIUM HOG BRISTLE DIN 53778	ON REQUEST		Please refer to TQC washability for alternative				
SH903/153/P	BRUSH ALUMINIUM NYLON BRISTLE ASTM D2486	ON REQUEST		Please refer to TQC washability for alternative				
SH903/161/P	EXTERNAL CIRCLIP (ANDERTON N1400 0018)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/162/P	SPONGE 95x76x38mm	ON REQUEST		Please refer to TQC washability for alternative				
SH903/169/P	RUBBER-CHANNEL SECTION	ON REQUEST		Please refer to TQC washability for alternative				
SH903/172/P	SPONGE 95x41x38mm - PG (DRAWN - ISS A)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/173/P	SPONGE 95x75x45mm (ASTM D4828)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/2	WET ABRASION SCRUB TESTER - ASTM D2486-89 (220-240V, 50HZ)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/2/110V	WAST TO ASTM D2486 110-120V (D/L ISS N)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/2/BYK	BYK WET ABRASION SCRUB TESTER - ASTM D2486-89 (220-240V, 50HZ)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/2/BYK/110V	W.A.S.T. ASTM D2486	ON REQUEST		Please refer to TQC washability for alternative				
SH903/2/BYK/110V	W.A.S.T. ASTM D2486	ON REQUEST		Please refer to TQC washability for alternative				
SH903/3	WET ABRASION SCRUB TESTER - ASTM D3450-90 (220-240V, 50HZ)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/3/110V	WET ABRASION SCRUB TESTER - ASTM D3450-90 (110-120V, 60HZ)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/306/D	SPONGE 97 x 78 x 28 ASTM D4213-96(ISS B)	ON REQUEST		Please refer to TQC washability for alternative				

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SH903/4	WET ABRASION SCRUB TESTER - ASTM D4213-87 (220-240V, 50HZ)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/410/S	CLOTH BLOCK HOLDER ASSY (cloth sample required to ensure suitable retention)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/6	WET ABRASION SCRUB TESTER - EN 12956 (220-240V, 50HZ)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/8	WET ABRASION SCRUB TESTER TO ISO11998/BS3900-F17	ON REQUEST		Please refer to TQC washability for alternative				
SH903/9	WET ABRASION SCRUB TESTER TO EN12039 - CARRAIGE SPEED OF 55 CYCLES	ON REQUEST		Please refer to TQC washability for alternative				
SH903/PG	WET ABRASION SCRUB TESTER, 4 HEADS, (220-240V, 50HZ)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/PG/110	WET ABRASION SCRUB TESTER, 4 HEADS, (110-120V, 60HZ)	ON REQUEST		Please refer to TQC washability for alternative				
SH903/PG/110V	WET ABRATION SCRUB TESTER (PROCTER & GAMBLE) 110 - 120V	ON REQUEST		Please refer to TQC washability for alternative				
SH903/PG/A/1	WAST PROCTER & GAMBLE MODEL TO HENKEL SPEC. TO INCLUDE MODIFIED	ON REQUEST		Please refer to TQC washability for alternative				
SH903/PGA	UPGRADED PG WET ABRASIAN SCRUB TESTER	ON REQUEST		Please refer to TQC washability for alternative				
SH903/SM1	ASTM SCRUB MEDIUM - NON-ABRASIVE TYPE - 473CC	SH1661						
SH903/SM2	ASTM SCRUB MEDIUM - ABRASIVE TYPE - 473CC	SH1662						
SH903/ST1	ASTM STAINING MEDIUM - PIGMENTED TYPE - 473CC	OBSOLETE						
SH921	SURTRONIC DUO Ra AND Rz		LD0015		x			
SH925	MULTIPURPOSE THERMOMETER WITHOUT PROBE		TE1000		x			
SHAD-CQT-1501	COMPACT BALANCE - 1500g, READABILITY 0.1G, PAN SIZE 120MM ø	ON REQUEST						
SHAD-NBL254I	Nimbus Precision Balance WITH INTERNAL CALIBRATION -250gm	ON REQUEST						
SHAD-NBL623E	Nimbus Precision Balance 620g (0.001g)	ON REQUEST						
SHAD-PGW603E	ANALYTICAL LAB BALANCE	DI1750						x
SHAG4050	HIGH GLOSS STANDARD (BLACK GLASS)	OBSOLETE						

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SHAG4051	semi gloss standard 20°	OBSOLETE						
SHAG4052	semi gloss standard	OBSOLETE						
SHAG4057	SPECIAL STAND BLACK GLASS	OBSOLETE						
SHAG4057/160	SPECIAL STAND. BLACK GLASS 100mmx100mm - value 160gu/60degree	OBSOLETE						
SHAG4057/20	SPECIAL STAND BLACK GLASS 100mmx100mm value 20 gu/60degree	OBSOLETE						
SHAG4405	USB CABLE MICRO GLOSS FAMILY	OBSOLETE						
SHAG4422	LINEARITY CHECK STANDARD 20 DEGREE (CERTIFIED)	OBSOLETE						
SHAG4433	LINEARITY CHECK STANDARD TRI-ANGLE MIRROR (CERTIFIED)	OBSOLETE						
SHAG4434	CHECKING STANDARD TRI	OBSOLETE						
SHAG-4446	BYK MICRO TRI-GLOSS	SH1096			x			
SHAG4450	BYK MICRO-GLOSS 60° S	OBSOLETE						
SHAG-4454	BYK MICRO-GLOSS 45 DEGREE	SH1257				x		
SHAG4458	LINEARITY CHECK STANDARD 45 DEGREE	OBSOLETE						
SHAG4462	LINEARITY CHECK STANDARD MICRO 60°	OBSOLETE						
SHAG4487	LINEARITY CHECK STANDARD 85 DEGREE (CERTIFIED)	OBSOLETE						
SHAT4725	HAZEGARD PLUS C	OBSOLETE						
SHAT4732	CLARITY STANDARD	OBSOLETE						
SHAT4733	BYK Zero Calibration Standard	OBSOLETE						
SHAT-4740	HAZE STANDARD	OBSOLETE						
SHAT-4741	HAZE STANDARD 5, 4725/4726	OBSOLETE						
SHAT-4743	HAZE STANDARD 20, 4725/4726	OBSOLETE						
SHAT4745	HAZE STANDARD SET (CERTIFIED)	OBSOLETE						
SHAW4824	MICRO-WAVE-SCAN	OBSOLETE						
SHAW4840	WAVESCAN DUAL	OBSOLETE						

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SHBAR-KHC.10.8	SHORT K BAR (18CM) TAN/100 MICRON	OBSOLETE						
SHBG-0304	BYK DIN DIP CUP 4MM, ALUMINIUM	OBSOLETE						
SHBG0334	BYK ISO DIP 4MM	OBSOLETE						
SHBG2421	BYK WIRE-WOUND ROD 200 – 1 mils	OBSOLETE						
SHBG2422	BYK WIRE-WOUND ROD 200 – 2 mils	OBSOLETE						
SHBG2424	BYK WIRE-WOUND ROD 200 – 4 mils	OBSOLETE						
SHBG2426	BYK WIRE-WOUND ROD 200 – 150 uM (6 mils)	OBSOLETE						
SHBG2428	BYK WIRE-WOUND ROD 200 – 200uM (7.9 mils)	OBSOLETE						
SHBG2811	BYK0-CHART OPACITY 3B	OBSOLETE						
SHBG2818	BYK0-CHART PENOPAC 1B	OBSOLETE						
SHBG2835	BYKO CHART PLAIN WHITE	OBSOLETE						
SHBG-3501	BYK GARDNER Comb Gage 25-2000 µm, stainless steel	OBSOLETE						
SHBG-3507	Comb Gage 5-150 µm, stainless steel	OBSOLETE						
SHBG-3509	Comb Gage Set, plastic, set of 10	OBSOLETE						
SHBG3877	BYK VACUUM PUMP 230V	OBSOLETE						
SHBG-4000	Viscosity Standard C10 oil	OBSOLETE						
SHBG-4058/160	Special Standard Mirror, 100mmx100mm - value 160gu/60degree	OBSOLETE						
SHBG4456	MICROGLOSS 75DEG	SH1261				x		
SHBG4536	HOLDER COMPLETE WITH THE STANDARD	OBSOLETE						
SHBG4736	LAMP FOR BYK HAZE GARD	OBSOLETE						
SHBG4775	BYK HAZE-GARD I	OBSOLETE						
SHBG4777	BYK CLARITY REFERENCE STANDARD FOR 4775	OBSOLETE						
SHBG4783	BYK TRANSMITTANCE STANDARD SET, FOR 4775	OBSOLETE						
SHBG4784	BYK THIN FILM HOLDER, FOR 4775	OBSOLETE						

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SHBG4790	BYK HAZE STANDARD 1, FOR 4775	OBSOLETE						
SHBG4795	BYK HAZE STANDARD SET, FOR 4775	OBSOLETE						
SHBG-5400	BYK Automatic Cupping Tester	OBSOLETE						
SHBG5565	BYK DRAW DOWN BAR- SINGLE BAR 6", 2.5 mils	OBSOLETE						
SHBG5802	LEAD HOLDER FOR 9500	OBSOLETE						
SHBG5810	DUR-O-TEST 1mm	SP0010			x			x
SHBG5826	BUCHHOLZ TESTER W/MICROSCOPE	SP1900				x		
SHBG5859	PENDULUM HAEDNESS TEST PERSOZ		SP0500	Include SP0505		x		
SHBG-6525	CALIBRATION HOLDER 45 DEGREE	OBSOLETE						
SHBG6692	COLOUR GUIDE 45/0 - 20mm GLASS SEALD	OBSOLETE						
SHBG6727	Gardner LIQUID STANDARD WITH ILLUMINATE	OBSOLETE						
SHBG6750	Gardner Delta Colour Comparator w/o Illumination	OBSOLETE						
SHBG6834	SPECTRO-GUIDE SPHERE GLOSS	OBSOLETE						
SHBG-8206	BYK Zahn Type Cup No.1 with certificate	OBSOLETE						
SHBK/CG	CASTOR GUIDE	OBSOLETE						
SHBK10	DRYING TIME RECORDER (220-240V, 50HZ)-STANDARD MACHINE, 10 TRACKS, INDEPENDANT MOTOR PER PAIR OF TRACKS-1 SPEED 12 HRS		AB3600		x			
SHBK10/110V	DRYING TIME RECORDER (110-120V, 60HZ)		AB3600		x			
SHBK10/SV	DRYING TIME RECORDER (ANY OTHER MOTOR)		AB3600		x			
SHBK10M	STANDARD MOTOR FOR BK10 (12 HOUR)	OBSOLETE						
SHBK3	DRYING TIME RECORDER (220-240V, 50HZ)-STANDARD MACHINE 6,12,24 HR SPEED MOTOR		AB3600		x			
SHBK6	DRYING TIME RECORDER (220-240V, 50HZ)-STANDARD MACHINE, 6 TRACKS, INDEPENDANT MOTOR PER PAIR OF TRACKS-1 SPEED 12 HRS		AB3600		x			
SHBLD2000	PROTIMETER MINI MOISTURE METER		LI9050					x
SHBLD5360	PROTIMETER SURVEYMASTER SM		LI9050					x

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SHBLD5365	PROTIMETER SURVEYMASTER		LI9050					x
SHBLD5601	TIMBERMASTER INCLUDING TEMPERATURE PROBE		LI9050					x
SHBLD5800LH	PROTIMETER MOISTURE MEASUREMENT SYSTEM		LI9050					x
SHBLD7700	HYGROMASTER II WITH DETACHABLE HYGROSTICK PROBE		DC7100			x		
SHBLD7750	HYGROMASTER II WITH SHORT HYGROSTICK AND CARRY CASE		DC7100			x		
SHBLD8800	PROTIMETER MOISTURE MEASUREMENT SYSTEM WITH POUCH		LI9050					x
SHCAC/120	COLOUR ASSESSMENT CABINET (220-240V, 50-60HZ)		VF1200		x			
SHCAC/150	COLOUR ASSESSMENT CABINET (220-240V, 50-60HZ)	OBSOLETE						
SHCAC/60	COLOUR ASSESSMENT CABINET (220-240V, 50-60HZ)		VF0600		x			
SHCBK8H	BENCH BALANCE 8000 GRAM 0.1G RESOLUTION	ON REQUEST						
SHCP1	CONE & PLATE BASE UNIT	SH1693						
SHCP2	CONE & PLATE HIGH TEMPERATURE	OBSOLETE						
SHCQT5000	COMPACT BALANCE 5000 GRAM 1G RESOLUTION	ON REQUEST						
SHF05	FERROUS ONLY 0-500M	SH0520						
SHF1	PROBE F (0 - 1500um)	SH1614						
SHF1.5	PROBE F QUANTICOAT	SH1618						
SHF1.6/90	FERROUS ONLY 90 DEG. ANGLE 0-1600M	SH1389						
SHF10/2	FERROUS ONLY 0-10 MILLIMETRES	SH0089						
SHF20	FERROUS ONLY 0-20 MILLIMETRES	SH0809						
SHF3	FERROUS ONLY 0-3000M	SH1616						
SHFH-10	0 - 10MM PROBE INCL. SHIELDING TUBE,HOLDER, STEEL BALLS, CAL. DEVICES	SH0637						
SHFH-4	0 - 4MM PROBE INCL. SHIELDING TUBE,HOLDER, STEEL BALLS, CAL. DEVICES	ON REQUEST						
SHFN1.6	FERROUS AND NON FERROUS 0-1600M	SH0020						
SHFN1.6/90	FERROUS AND NON FERROUS 90 DEG. ANGLE 0-1600M	ON REQUEST						

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SHGFK150	WEIGHING SCALES 150KG	ON REQUEST						
SHGFK300	WEIGHING SCALES 300KG	ON REQUEST						
SHGFK600	WEIGHING SCALES 600KG	ON REQUEST						
SHGFK75	WEIGHING SCALES 60KG	ON REQUEST						
SHGPT1	GLASS THERMOMETER -10 / +50 DEGREES C SPIRIT FILLED	OBSOLETE						
SHGPT2	GLASS THERMOMETER -10 / +110 DEGREES C	OBSOLETE						
SHGYZJ-078	STANDARD TEST DISC 43/48	VF6505						
SHGYZJ-250	STANDARD TEST DISC 87/89	VF6506						
SHGYZJ-6-5	POINT INDENTOR FOR BARCOL (710/934/1 & 2)	VF6507						
SHHCB602H	PRECISION COMPACT BALANCE 600G 0.01G RESOLUTION	ON REQUEST						
SHHI-151	POCKET THERMOMETER - Range -50°C to 220°C	TE0027		Different model, smaller range				
SHHI-98128	POCKET WATERPROOF pH METER		HI0037	Different model, same function				
SHHI-98129	Combo Tester. Measures pH, Conductivity and TDS. 0 to 3999uS & 0 to 2000ppm	OBSOLETE						
SHHI-98311	POCKET WATERPROOF CONDUCTIVITY METER		HI0070	Different model, same function				
SHHI-991001	WATERPROOF pH METER	OBSOLETE						
SHHI-991300	pH /CONDUCTIVITY/TDS METER		HI9813					
SHL150/3	CERTIFIED TESTING SOLUTION SETADDISTA-COLOUR	ON REQUEST						
SHL500/3	CERTIFIED TESTING SOLUTION SETADDISTA-COLOUR	ON REQUEST						
SHL500/4	Round cuvettes for LICO, glass, 11 mm, disposable (560 pcs.)	ON REQUEST						
SHL500/5	RECTANGULAR CUVETTE 50 X 10mm , PLASTIC , DISPOSABLE , PK50	ON REQUEST						
SHL500/6	RECTANGULAR CUVETTE 50 X 10mm WITH CAPS , PLASTIC , DISPOSABLE , PK10	ON REQUEST						
SHL600/3	SET OF 4 GLASS FILTERS FOR STRAY LIGHT, ABSORBANCE & WAVELENGTH TEST. LICO 620/690	ON REQUEST						
SHL600/4	DISPOSIBLE PLASTIC CUVETTES, 10 X 10 MM (1000PCS) FOR LICO	ON REQUEST						
SHL600/5	RECTANGULAR CUVETTE OS, 3 pcs, 10mm LAYER THICKNESS FOR LICO	ON REQUEST						



<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SHL600/6	ADDISTA color - Set of 6 certified Test solutions for LICO 620 / 690	ON REQUEST						
SHL620	LICO620 COLORIMETER FOR UP TO FIVE SCALES	ON REQUEST						
SHMFFT-60	MINIMUM FILM FORMING TEMPERATURE EQUIPMENT - 6 RANGE	OBSOLETE						
SHMFFT-60/2	MINIMUM FILM FORMING TEMPERATURE EQUIPMENT - 6 RANGE	OBSOLETE						
SHMFFT-90/2	MINIMUM FILM FORMING TEMPERATURE EQUIPMENT - 9 RANGE	OBSOLETE						
SHMIKROTESTF6	MIKROTEST F 0-1000 M AUTOMATIC VERSION	OBSOLETE						
SHMINITEST3100	MINITEST 3100 TEN BATCH/APPL.(PROBE NOT INCLUDED)	OBSOLETE						
SHMINITEST420	MiniTest 420 MEASURING RANGE 0.65-500MM (STEEL) INCLUDING PROBE, COUPLING LIQUID, RUBBER PROTECTION CASE, PLASTIC CASE, 2 BATTERIES AND MANUAL	OBSOLETE						
SHMINITEST650FN	MINITEST 650FN INCL. STATS PROBE - FERROUS/NON FERROUS 0-2000µM / 80 MILS	OBSOLETE						
SHMINITEST650N	MINITEST 650N INCL. STATS PROBE - NON FERROUS 0-2000µM / 80 MILS	OBSOLETE						
SHMINITEST70/F	MiniTest 70 coating thickness gauge Ferrous only	OBSOLETE						
SHMINITEST70FN	MiniTest 70FN 80+125+0100	OBSOLETE						
SHMINITEST730FN/1.5-90	MiniTest 730FN 1.5-90 FOR TUBE MEASUREMENT	OBSOLETE						
SHMINITEST735FN1.5	Minitest 735 with SIDSP Sensor FN1.5(1500F/700N)	OBSOLETE						
SHN1.6	NON FERROUS 0-1600M	OBSOLETE						
SHN1.6/90	NON FERROUS 90 DEG. ANGLE 0-1600M	OBSOLETE						
SHPA-2831	BYKO-CHART, UNCOATED N2A, 250 PACK	OBSOLETE						
SHPA-3876	VACUUM PLATE S	OBSOLETE						
SHPA-4103	WIRE WOUND ROD 10" - 0,2 MILS	OBSOLETE						
SHPA-4112	WIRE WOUND ROD 10" - 0,8 MILS	OBSOLETE						
SHPA-5361	SQUARE FRAME 2" 1-8 mils	OBSOLETE						
SHPA-5552	Single Bar 3", 1 mil	OBSOLETE						

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SHPA-5553	Single Bar 3" 1.5 milil	OBSOLETE						
SHPA-5554	Single Bar 3" 3 mil	OBSOLETE						
SHPA-5555	Single Bar 3" 6 mil	OBSOLETE						
SHPA-5566	BAR APPL 6FW,3 MILS	OBSOLETE						
SHPA-5568	BAR APPL 6FW, 6MILS	OBSOLETE						
SHPE-5133	CROSS-CUT TOOL 11, 6 EDGE 1.5mm	OBSOLETE						
SHPENTEST	COATING THICKNESS GAUGE 25 - 700M	OBSOLETE						
SHPG-3430	BYKO CUT THICKNESS-METRIC	OBSOLETE						
SHPG-3510	PLASTIC COMBE GAUGE (pack of 100)		LD2020	Warning: pack of 500 instead 100				
SHPH10	PH10.01 SACHET 20ML - 25 PIECES BOXED	OBSOLETE						
SHPH10/C	PH10.01 SACHET 20ML - 25 PIECES BOXED with CERTIFICATE	OBSOLETE						
SHPH4	PH4.01 SACHET 20ML - 25 PIECES BOXED	OBSOLETE						
SHPH-5126	BYK CROSS CUT KIT 6 EDGE, 2MM	OBSOLETE						
SHPH-5800	WOLF WILBURN PENCIL HARDNESS	OBSOLETE						
SHPH7	PH7.01 SACHET 20ML - 25 PIECES BOXED	SH1629						
SHPH7/C	PH7.01 SACHET 20ML - 25 PIECES BOXED with CERTIFICATE	SH3004						
SHPHD1-20	PINHOLE DETECTOR1 - 20 KV	OBSOLETE						
SHPT2623	TEST PANELS FOR GRADIENT OVEN (PACK 100)	OBSOLETE						
SHPV-0314	DIN DIP CUP POLYAMIDE 4mm ORIFICE	OBSOLETE						
SHPV0500	BUBBLE VISCOMETER A5-A1	OBSOLETE						
SHPV0510	BUBBLE VISCOMETER A-T	OBSOLETE						
SHPV-0511	TUBE A	OBSOLETE						
SHPV-0514	TUBE D	OBSOLETE						
SHPV-0516	TUBE F	OBSOLETE						



<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SHPV-0517	TUBE G	OBSOLETE						
SHPV-0519	TUBE I	OBSOLETE						
SHPV-0521	TUBE K	OBSOLETE						
SHPV-0525	TUBE O	OBSOLETE						
SHPV-0529	TUBE S	OBSOLETE						
SHPV0540	BUBBLE VISCOMETER U-Z6	OBSOLETE						
SHPV-0540	BUBBLE VISCOMETER U	OBSOLETE						
SHPV-0541	TUBE U	OBSOLETE						
SHPV-0542	TUBE V	OBSOLETE						
SHPV-0543	TUBE W	OBSOLETE						
SHPV-0544	TUBE X	OBSOLETE						
SHPV-0545	TUBE Y	OBSOLETE						
SHPV-0546	TUBE Z	OBSOLETE						
SHPV-0547	TUBE Z1	OBSOLETE						
SHPV-0548	TUBE Z2	OBSOLETE						
SHPV-0549	TUBE Z3	OBSOLETE						
SHPV-0550	TUBE Z4	OBSOLETE						
SHPV-0551	TUBE Z5	OBSOLETE						
SHPV-0552	TUBE Z6	OBSOLETE						
SHPV0560	BUBBLE VISCOMETER Z7-Z10	OBSOLETE						
SHPV-0561	TUBE Z7	OBSOLETE						
SHPV-0562	TUBE Z8	OBSOLETE						
SHPV-0571	Empty Tubes, Grade A - Pack 144 including corks	OBSOLETE						
SHPV-0573	BYK EMPTY TUBE GRADE B FOR BUBBLE VISCOMETER (144 PIECES)	OBSOLETE						

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SHPV-0575	Empty Tubes, Grade N	OBSOLETE						
SHPV-0577	HOLDER FOR 5 TUBES	OBSOLETE						
SHPV-0610	CERTIFIED BUBBLE VISCOMETER A-T	OBSOLETE						
SHPV-0630	CERTIFIED TUBE T	OBSOLETE						
SHPV-0640	CERTIFIED BUBBLE VISCOMETER U-Z6	OBSOLETE						
SHPV-0652	CERTIFIED TUBE Z6	OBSOLETE						
SHPV-0660	CERTIFIED BUBBLE VISCOMETER Z7-Z10	OBSOLETE						
SHPW-1140	PKNOMETER ISO 5	OBSOLETE						
SHPW1710	CONDUCTIVITY ELECTRODE (PROBE)	OBSOLETE						
SHPW1722	HEAVY DUTY CONDUCTIVITY METER	OBSOLETE						
SHPW-9664	US MIDGET CUP WITH TARE WEIGHT	OBSOLETE						
SHQUANTICOATDUAL	THICKNESS GAUGE EXCLUDING PROBE	OBSOLETE						
SHQUANTICOATF1/EXT	GAUGE F (0 - 1500um) EXTERNAL	OBSOLETE						
SHQUANTICOATFN1/EXT	GAUGE FN (0 - 1500um F) EXTERNAL	OBSOLETE						
SHQUANTICOATFN1/INT	DRY FILM THICKNESS GAUGE FN (0 - 1500um FERROUS & 0 - 700um NON FERROUS INTERNAL PROBE	OBSOLETE						
SHQUANTICOATFN2/EXT	GAUGE FN (0 - 5000um F) EXTERNAL	OBSOLETE						
SHQUINTSONIC	ULTRASONIC COATING GAUGE, INCLUDING PROBE	OBSOLETE						
SHQUINTSONIC7	QuintSonic 7 Ultrasonic coating thickness gauge for up to 5 single layers in one measurement	OBSOLETE						
SHRAL-K-5	COLOR CHARTS (194 SHADES)	OBSOLETE		See TQC RAL product range.				
SHSM1500	SOLARMASTER 1500 U.V. WEATHERING TEST CABINET	OBSOLETE						
SHSM1500E	SOLARMASTER 1500E U.V. WEATHERING TEST CABINET	OBSOLETE						
SHSM1500E/2	SODA-LIME GLASS UV FILTER TO SIMULATE OUTDOOR EXPOSURE	OBSOLETE						
SHSM1500E/3	SODA-LIME GLASS UV FILTER TO SIMULATE INDOOR EXPOSURE	OBSOLETE						

<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SHSM1500E/6	FLOODING SYSTEM (CYCLIC SAMPLE IMMERSION)	OBSOLETE						
SHSM1500E/8	TEST CHAMBER HUMIDITY AND TEMPERATURE DISPLAY	OBSOLETE						
SHSW	STOPWATCH	DI0076				x		
SHSWFRPAN4K	Switch plus LCD for CAC	OBSOLETE						
SHTC/K/N3/3	Probe with magnet and clamp (K type sensor) for TRS/7	OBSOLETE						
SHTM-10	TEMPMASTER CIRCULATING BATH WITH 8 LITRE TANK	OBSOLETE						
SHTM100	TEMPMASTER CIRCULATING BATH WITH 12 LITRE TANK	OBSOLETE						
SHTRS/7	OVEN TEMPERATURE LOGGER	OBSOLETE						
SHVCC2000	GARDNER COMPARATOR 2000+	OBSOLETE						
SHVCC2250	PT-CO / HAZEN / APHA COMPARATOR	OBSOLETE						
SHVCC3000	GARDNER COMPARATOR 3000	OBSOLETE						
SHVCC3000/1	TEST TUBE 10.65MM	OBSOLETE						
SHVCC3000/2	FUSED CELL 10MM	OBSOLETE						
SHVCC3000/3	INDIVIDUAL CERT STANDARD NO.2 HS 90275000	OBSOLETE						
SHVCC3000/4	INDIVIDUAL CERT STANDARD NO.5 HS 90275000	OBSOLETE						
SHVCC3000/5	INDIVIDUAL CERT STANDARD NO.8 HS 90275000	OBSOLETE						
SHVM1/HV	VM1 SPINDLE VISCOMETER - HIGH VISCOSITY	SH1632				x		
SHVM1/RV	VM1 SPINDLE VISCOMETER - MEDIUM VISCOSITY	SH1709						
SHVM2/1	SMALL SAMPLE ADAPTOR WITH FLOW FACKET	ON REQUEST						
SHVM2/3A	SET OF SPINDLES FOR RV & HV RANGES : TR8/9/10/11	SH1031						
SHVM2/3B	SET OF SPINDLES FOR LV RANGE : TL5/6/7	SH1032						
SHVM2/5	LOW VISCOSITY ADAPTOR WITH FLOW FACKET	SH0213						
SHVM2/8	HELICAL DRIVE UNIT	ON REQUEST						
SHVM2/HV	VM2 SPINDLE VISCOMETER - HIGH VISCOSITY	SH1633				x		



<u>SHEEN PART NO</u>	<u>CATALOG DESCRIPTION</u>	<u>TQC equivalent</u>	<u>TQC indirect</u>	<u>Requirements:</u>	<u>COC</u>	<u>CCI</u>	<u>BCI</u>	<u>Optional</u>
SHVM2/LV	VM2 SPINDLE VISCOMETER - LOW VISCOSITY	SH1660				x		
SHVM2/RV	VM2 SPINDLE VISCOMETER - MEDIUM VISCOSITY	SH1710				x		
SHYAB084	DISPLAY UNIT FOR LICO 150	OBSOLETE						
SHZEROPLATE	FE + AL ZERO PLATE FOR ANY GAUGE	LD5420Fe LD5425Nfe						